

C ACCESSORIES CONNECTIONS



EN. Piusi solutions are practical to apply, versatile for multiple installations and are made of materials resistant and compatible with Urea.

ES. Accesorios para Urea. Las soluciones Piusi son prácticas de aplicar, versátiles para múltiples instalaciones y están realizadas con materiales resistentes y compatibles con la Urea.

PT. Acessórios para Uréia As soluções Piusi são práticas na aplicação, versáteis às múltiplas instalações e são realizadas com materiais resistentes e compatíveis com a Uréia.

Suction connections SEC

HDPE plastic for CDS suction tube




PRODUCTS' RANGE

Code	Description
R15452000	Suction connection SEC

Gravity kit

Manual nozzle + IBC bottom adapter




PRODUCTS' RANGE

Code	Description
F15517000	Gravity kit

Suction connections PDC (Piusi DEF Coupler)



for typical stainless steel connectors.



PRODUCTS' RANGE

Code	Description
F18910000	Piusi DEF coupler


Suction hose



PRODUCTS' RANGE

Code	Description
F15606020	Suction hose with plug head 2" BSP
F15606000	Suction hose wwith plug head 56x4

Kit bottom connection



PRODUCTS' RANGE

Code	Description
F15515010	Kit bottom connection

External suction hose

with IBC bottom valve adapter and check valve.



PRODUCTS' RANGE

Code	Description
F15515000	External suction hose



ACCESSORIES FITTINGS AND HOSES

EN. Piusi solutions are practical to apply, versatile for multiple installations and are made of materials resistant and compatible with Urea.

ES. Accesorios para Urea. Las soluciones Piusi son prácticas de aplicar, versátiles para múltiples instalaciones y están realizadas con materiales resistentes y compatibles con la Urea.

PT. Acessórios para Uréia As soluções Piusi são práticas na aplicação, versáteis às múltiplas instalações e são realizadas com materiais resistentes e compatíveis com a Uréia.

PRODUCTS' RANGE

Plastic fitting



Code	Description				
F15522000	Plastic fitting lineare	M 1" BSP	-	Ø 3/4"	-



Code	Description				
F15485000	Plastic fitting curva 90° Male	M 1" BSP	-	Ø 3/4"	-



Code	Description				
F15484000	Plastic fitting curva 90° Female	F 1" BSP	-	Ø 3/4"	-



Code	Description				
F15179000	Plastic fitting	M/F 1" BSP	-	-	-



Code	Description				
F16433000	Plastic fitting	1" F BSP	-	-	-



Code	Description				
F16434000	Plastic fitting	1" F BSP	-	-	-



Code	Description				
F16435000	Plastic fitting	1" F BSP	-	Ø 3/4"	-

ANTIFREEZE
BIO DIESEL
DIESEL
FOOD
GASOLINE
GREASE
KEROSENE
OIL
UREA
WATER
WINDSCREEN

Sockets



PRODUCTS' RANGE

Code	Description				Packaging	
					pcs	
F16074000	Socket	NPT/NPT	-		20	-
F16458000	Socket	BSP/NPT			20	
F16073000	Socket	BSP/BSP	-		20	-

Stainless steel fitting



PRODUCTS' RANGE

Code	Description				Packaging	
					pcs	
F14132000	Swivel inox	3/4"M	hose 3/4"			-

Swivel rubber protector



PRODUCTS' RANGE

Code	Description				Packaging	
					pcs	
F16497000	Swivel rubber protector	-	-			-

EPDM hoses



PRODUCTS' RANGE

Code	Description				Packaging	
			coil		pcs	
EPDM Suction hose						
F1412400A	EPDM Suction hose	3/4"	40 m			-
EPDM Delivery hose						
F14250000	EPDM Delivery hose	3/4"	4 m			-
F14125020	EPDM Delivery hose	3/4"	6 m			
F14125030	EPDM Delivery hose	3/4"	8 m			-
F14125040	EPDM Delivery hose	3/4"	10 m			
F14125050	EPDM Delivery hose	3/4"	80 m			

EPDM Kit suction hose



PRODUCTS' RANGE

Code	Description				Packaging	
			foot valve	SEC	pcs	
F14146000	EPDM Kit suction hose with valve	1,5 m	YES	NO	1	BOX
F15883000	EPDM Kit suction hose with SEC	1,1 m	NO	YES	1	BOX

Stainless steel clamp



PRODUCTS' RANGE

Code	Description				Packaging	
					pcs	
F13800000	Stainless steel clamp	20-32-12 INOX			10	-

AUTOMATIC ADBLUE HOSE REEL



EN. Automatic hose reel for AdBlue® filling tanks. All the components are compatible with urea in order to avoid parts corrosion, so to prevent urea contamination.

A - Hose reel UREA (bare)

- 1 x hose reel without hose with swivel and hose-tail fitting for connection with hose;
- 1 x hose fastening clamp;
- 1 x hose protection spring;
- 1 x hose stop.

**B - Automatic UREA hose reel UREA with EPDM (8 m - 3/4 ") hose complete with swivel and elbow.
Code F00750070.**

Features:

- Reduced pressure loss;
- Latch mechanism protector;
- Adjustable arms.

ES. Enrollador automatico para repostar AdBlue®. Todos los componentes son compatibles con urea para evitar la corrosión al fin de evitar la contaminación de urea durante el repostaje.

A - Enrollador automático UREA (sin tubo)

- 1 x Enrollador de tubo automático sin tubo y dotado de boquilla para conexión a tubo;
- n.º 1 abrazadera para fijación del tubo;
- n.º 1 muelle para tubo;
- n.º 1 dispositivo de bloqueo del tubo.

**B - Enrollador automático UREA con tubo EPDM (8 m - 3/4 ") dotado de racor giratorio y codo.
Código F00750070.**

características:

- Reducida pérdida de presión;
- Protección mecanismo de cierre;
- Brazos regulables.

PT. Enroladores automáticos de mangueira para tanques de abastecimento de ureia. Todos os componentes são compatíveis com ureia para evitar a corrosão nas partes, evitando assim a contaminação da ureia.

A - Enrolador automático de UREA (sem tubo)

- 1 x Enrolador de tubo automático sem tubo e encaixe para a ligação do tubo;
- 1 braçadeira para fixação do tubo;
- 1 mola para tubo;
- 1 bloqueador do tubo.


**B - Enrolador automático de UREA com tubo EPDM (8 m - 3/4 ") com girador e cotovelo.
Código F00750070.**

características:

- Reduzida perda de pressão;
- Protecção do mecanismo de fecho;
- Braços reguláveis.

DIMENSIONS

Model	A	B	C	D	E	F	G	H
HOSE REEL BIG	475	460	152	200	230	150	246	12
HOSE REEL SMALL	475	460	102	150	180	150	196	12



PRODUCTS' RANGE WEIGHT AND PACKAGING

Code	Weight		Packaging		
	kg	lbs	mm	inch	pcs/box
Without hose					
F00750060	14	30,9	550x260x540	21,6x10,2x21,3	1
With hose					
F0075007A	17	37,5	550x260x540	21,6x10,2x21,3	1
F00750110	24	52,9	550x260x540	21,6x10,2x21,3	1
Kit base					
F17275000	8,5	18,7	480x370x265	18,9x14,6x10,4	1






B - Hose reel with hose



A - Hose reel without hose

Hose reel installations:

1. Roof installation
2. Wall installation
3. Ground installation



FEATURES

ON REQUEST



Hand protections



Accessories included



Fix support plate



Rotating support plate

Weight 1,5 Kg
Pack: 300x410x100
Code Big: **F16298000**
Code Small: **F17316000**

Weight 3,5 Kg
Pack: 300x300x180
Code Big: **F16279000**
Code Small: **F17317000**



Hosereel Kit base (available)

PRODUCTS' RANGE TECHNICAL DATA

Code	Description	Fluids type	Hose BSP	Max operating pressure bar	Pressure drop bar	Inlet with hosetail BSP	Outlet BSP	Hose max length bound m	Hose length m
Without hose									
F00750060	Hosereel 3/4" without hose SMALL	U	3/4"	10	0,1 @ 35 l/min	3/4"	3/4"	9,5	-
With hose									
F0075007A	Hosereel 8 x 3/4" with hose SMALL	U	3/4"	10	0,4 @ 35 l/min	3/4"	3/4"	-	8
F00750110	Hosereel 3/4" 15 mt BIG	U	3/4"	10	0,6 @ 35 l/min	3/4"	3/4"	-	15
Kit base									
F17275000	Hosereel Kit base	-	-	-	-	-	-	-	-