



www.mainpowerhyd.com

# Main Power Hydraulics Machinery Co.

# 明力油壓機械工程

**TEGEE**  
Clean & Care ✓



## Cleaning Chemicals:



### **"Tegee" Tegedin Hand Cleaner**

- Yellow hand washing paste
- Wood flour but no sand containing
- Exceptionally strong decontamination capability
- Special skin protection formula
- Never clog drains



### **"Tegee" Multi 2000**

- Highly concentrated for removing stubborn oil grease
- Excellent dirt dissolving properties
- Superior cleaning power and economical cleaner
- Fulfill permission on waste water values



### **"Tegee" Concrete Dissolving Agent**

- Metal-containing corrosion depressing agent
- Prevent concrete corrosion damage effectively
- Biodegradable automatically comply with environmental requirements



### **Anti-Foam Agent**

- Reliably and quickly prevents undesired foaming
- Based on silicone oils and therefore very efficient
- High concentration; economical in consumption
- Eco friendly and easy to separate



### **"Tegee" Jumbo Cleaner**

- Highly alkaline automobile cleaner with synergistic action
- Designed for removing any spoilage on tarpaulins, chassis, trucks, busses, etc.
- High solving power for oil, grease, and dirt.
- pH value: 13.6



### **"Tegee" Tegeron Antiseptic Hand-Cleaning-Cream**

- High-grade cleaning cream
- Thoroughly removes printing ink, tar, oil, grease etc.
- Can be used in the absence of water
- Specifications pH value 6.0-7.0




### **"Tegee" Tegeral Forte**

- Highly biodegradable, highly concentrated, odorless alkaline cleaner
- Meet the requirements of the German Law's ecological compatibility
- designed for use in High pressure and steam jet equipment
- Particularly useful in engineering, chemical, food processing and shipbuilding industries..
- pH value: 11.3



### **Parts Cleaner Special**

- Solvent for cleaning components with oil and corrosion protection
- Can be used in dip-tanks or in a spray wash cabinet
- Good cleaning properties and high dirt carriage
- Low degreasing on human skin



**Green Oil Products**

**enquiry :** (852) 2690 3509/sales@mainpowerhyd.com



www.mainpowerhyd.com

# Main Power Hydraulics Machinery Co.

# 明力油壓機械工程

## Oil Absorbent Series:

### **TG-68 Oil Absorbent Pads**

- 100% Polypropylene
- Absorb hydrocarbon not water
- Light blue material turns dark when saturated
- Excellent absorbent capacity
- High strength even when fully saturated
- 400mm x 500mm x 2mm; 200pcs/Box; Absorbency: 144L



### **TG-B304 Oil Absorbent Socks**

- Will not allow spills and liquid to spread
- Strong permeable outer skin will not be tore
- Tying on each end of socks can deployment on any length
- Absorb oil only, will not be failed by water and rain
- Place around oily machinery to prevent leaks from spreading and causing hazards
- 7.6cm x 120cm; 12pcs/Box; Absorbency: 4.2L



### **TG-OC-35 Oil Absorbent Pillows**

- Absorb oil and repel water
- Suitable for major spills on water and land
- Ideal using in sumps and bilges and under machines
- Protect expensive parts and keep them off the floor
- Have tough, durable, tear resistant cover
- 35cm x 50cm; 10pcs/Box; Absorbency: 64L



### **Oil Absorbent Booms**

- Ideal for absorbing the oily spills at wastewater troughs, loading docks, ponds, rivers and oceans
- Repelling water when containment and adsorption oily spills
- Embedded rope make deployment and retrieval easily
- Overlapping clips for deployment on any length
- The saturated booms will not sink
- No-toxic elements

| Abs.Booms<br>P/N | Description | Oil Absorption<br>Capacity | Packing<br>(per bag) |
|------------------|-------------|----------------------------|----------------------|
| TG-CE-B510       | 5" x 10'    | 96 L                       | 4 pcs                |
| TG-CE-B810       | 8" x 10'    | 192 L                      | 4 pcs                |

### **TG-65 Oil Binder**

- Absorb mineral oils, mineral oil products and various chemicals
- Type III R Powder
- Very absorbent granulate
- Environmentally compatible
- Chemically neutral
- Non-flammable and non-toxic
- Packing: 75cm x 38cm x 18cm; Weight: 20Kg/Bale; Absorbency: 50L



**Green Oil Products**

**enquiry :** (852) 2690 3509/sales@mainpowerhyd.com





www.mainpowerhyd.com

Main Power Hydraulics Machinery Co.

明力油壓機械工程

## Safety & Storage Cabinets



| Capacity<br>Gallons / Liters | Door &<br>Closing Style            | Size<br>(Exterior / Interior) |                   | Adjustable<br>Shelves |
|------------------------------|------------------------------------|-------------------------------|-------------------|-----------------------|
| 30 / 114                     | 2 Doors<br>Manual / Self-<br>Close | 112 x 110 x 46cm              | 100 x 100 x 37cm  | 1                     |
| 45 / 170                     |                                    | 165 x 110 x 46cm              | 154 x 101 x 37cm  | 2                     |
| 60 / 227                     |                                    | 165 x 86 x 86cm               | 154 x 78 x 77 cm  |                       |
| 90 / 341                     |                                    | 165 x 110 x 86cm              | 154 x 101 x 77 cm |                       |



## Outdoor Safety Lockers

### 2-hour Fire-Rated

| Capacity<br>55-Gal Drum | Sump Capacity<br>Gallons / Liters | Size<br>(Exterior / Interior) |                   | Design                            |
|-------------------------|-----------------------------------|-------------------------------|-------------------|-----------------------------------|
| 2                       | 120 / 454                         | 170 x 97 x 190cm              | 137 x 76 x 141cm  | Standard /<br>Explosion<br>Relief |
| 4                       | 100 / 379                         | 170 x 158 x 190cm             | 137 x 137 x 158cm |                                   |
| 6                       | 140 / 530                         | 231 x 158 x 246cm             | 198 x 137 x 213cm |                                   |
| 9                       | 198 / 750                         | 231 x 218 x 246cm             | 198 x 198 x 213cm |                                   |
| 12                      | 253 / 958                         | 213 x 292 x 246cm             | 198 x 259 x 213cm |                                   |
| 16                      | 326 / 1234                        | 292 x 279 x 246cm             | 259 x 259 x 213cm |                                   |



### 4-hour Fire-Rated

| Capacity<br>55-Gal Drum | Sump Capacity<br>Gallons / Liters | Size<br>(Exterior / Interior) |                   | Design                            |
|-------------------------|-----------------------------------|-------------------------------|-------------------|-----------------------------------|
| 2                       | 75/284                            | 180 x 107 x 190cm             | 128 x 67 x 133cm  | Standard /<br>Explosion<br>Relief |
| 4                       | 71/269                            | 180 x 168 x 190cm             | 128 x 128 x 150cm |                                   |
| 6                       | 105/397                           | 241 x 168 x 246cm             | 189 x 128 x 206cm |                                   |
| 9                       | 155/587                           | 241 x 229 x 246cm             | 189 x 189 x 206cm |                                   |
| 12                      | 205/776                           | 224 x 303 x 246cm             | 189 x 250 x 206cm |                                   |
| 16                      | 272/1030                          | 303 x 290 x 246cm             | 250 x 250 x 206cm |                                   |



Green Oil Products

enquiry : (852) 2690 3509/sales@mainpowerhyd.com



www.mainpowerhyd.com

Main Power Hydraulics Machinery Co.

明力油壓機械工程




## Safety Cans

| Capacity<br>Gallons / Liters | Can Dimension | Hose Dimension |
|------------------------------|---------------|----------------|
| 1.0 / 4.0                    | Ø241 x 267 mm | Ø16 x 229 mm   |
| 2.0 / 7.5                    | Ø241 x 337 mm | Ø16 x 229 mm   |
| 2.5 / 9.5                    | Ø298 x 305 mm | Ø16 x 229 mm   |
| 2.5 / 9.5                    | Ø298 x 305 mm | Ø25 x 229 mm   |
| 5.0 / 19.0                   | Ø298 x 445 mm | Ø16 x 229 mm   |
| 5.0 / 19.0                   | Ø298 x 445 mm | Ø25 x 229 mm   |



| Capacity<br>Gallons / Liters | Can Dimension |
|------------------------------|---------------|
| 1.0 / 4.0                    | Ø241 x 279 mm |
| 2.0 / 7.5                    | Ø241 x 349 mm |
| 2.5 / 9.5                    | Ø298 x 292 mm |
| 5.0 / 19.0                   | Ø298 x 429 mm |

## Drum Funnels & Equipment



Safety Drum Faucets



Antistatic Wires

Safety Drum Funnels



Safety Drum Vents



Green Oil Products



enquiry : (852) 2690 3509/sales@mainpowerhyd.com



www.mainpowerhyd.com


Main Power Hydraulics Machinery Co.

明力油壓機械工程

## Spill Control & Environmental

### *Safe, Drive-in Spill Containment*

| Capacity<br>Gallons / Liters | Interior Dimension  |
|------------------------------|---------------------|
| 175 / 662                    | 1.2m x 1.8m x 305mm |
| 235 / 890                    | 1.2m x 2.4m x 305mm |
| 355 / 1344                   | 1.8m x 2.4m x 305mm |
| 475 / 1798                   | 2.4m x 2.4m x 305mm |
| 745 / 2820                   | 3.0m x 3.0m x 305mm |
| 1075 / 4069                  | 3.7m x 3.7m x 305mm |
| 1435 / 5432                  | 3.7m x 4.9m x 305mm |
| 1795 / 6795                  | 3.7m x 6.1m x 305mm |
| 1910 / 7230                  | 4.9m x 4.9m x 305mm |
| 2390 / 9047                  | 4.9m x 6.1m x 305mm |
| 2990 / 11318                 | 6.1m x 6.1m x 305mm |



### *Compact and Flexible Spill Containment*

| Capacity<br>Gallons / Liters | Interior Dimension | Sidewall Height |
|------------------------------|--------------------|-----------------|
| 5 / 9                        | 0.6m x 0.6m        | 51              |
| 10 / 38                      |                    | 102             |
| 10 / 38                      |                    | 51              |
| 20 / 76                      | 0.6m x 1.2m        | 102             |
| 40 / 151                     |                    | 102             |
| 20 / 76                      |                    | 51              |
| 40 / 151                     | 1.2m x 1.2m        | 102             |
| 60 / 227                     |                    | 102             |
| 40 / 151                     |                    | 51              |
| 80 / 303                     | 1.2m x 2.4m        | 102             |
| 44 / 167                     |                    | 51              |
| 90 / 341                     |                    | 102             |
| 135 / 511                    | 1.8m x 1.8m        | 51              |
| 200 / 833                    |                    | 102             |
|                              |                    | 51              |



### *Economical Spill Containment*



| Capacity<br>Gallons / Liters | Interior Dimension |
|------------------------------|--------------------|
| 20 / 76                      | Ø711mm x 279mm     |
| 66 / 250                     | Ø1295mm x 279mm    |
| 100 / 379                    | Ø1372mm x 279mm    |
| 150 / 568                    | Ø1651mm x 279mm    |



Green Oil Products

enquiry : (852) 2690 3509/sales@mainpowerhyd.com





www.mainpowerhyd.com

Main Power Hydraulics Machinery Co.

明力油壓機械工程

## Spill Control Pallet



| Description   | Sump Capacity<br>Gallons / Liters | Load-Bearing<br>Capacity Lb/Kg | External Dimension  |
|---------------|-----------------------------------|--------------------------------|---------------------|
| 1 Drum center | 12 / 45                           | 1250 / 567                     | 635 x 635 x 140mm   |
| 2 Drum center | 24 / 90                           | 2500 / 1134                    | 1245 x 635 x 140mm  |
| 4 Drum center | 49 / 185                          | 5000 / 2268                    | 1245 x 1245 x 140mm |
| 6 Drum center | 73 / 276                          | 7500 / 3402                    | 1854 x 1245 x 140mm |
| 8 Drum center | 98 / 371                          | 10000 / 4536                   | 2464 x 1245 x 140mm |



100% recycled  
polyethylene



| Description      | Sump Capacity<br>Gallons / Liters | Load-Bearing<br>Capacity Lb/Kg | External Dimension  |
|------------------|-----------------------------------|--------------------------------|---------------------|
| 2 Drum (in-line) | 66 / 250                          | 2500 / 1134                    | 1245 x 635 x 457mm  |
| 3 Drum (in-line) | 75 / 284                          | 3750 / 1701                    | 1854 x 635 x 295mm  |
| 4 Drum (in-line) | 75 / 284                          | 5000 / 2268                    | 2464 x 635 x 229mm  |
| 4 Drum (square)  | 73 / 276                          | 5000 / 2268                    | 1245 x 1245 x 260mm |



Ramp

## Steel Spill Containment Pallets

| Description      | Sump Capacity<br>Gallons / Liters | Load-Bearing<br>Capacity Lb/Kg | External Dimension |
|------------------|-----------------------------------|--------------------------------|--------------------|
| 2 Drum           | 72 / 273                          | 1200 / 544                     | 1200 x 800 x 414mm |
| 4 Drum (in-line) | 102 / 386                         | 2400 / 1089                    | 2391 x 800 x 332mm |
| 4 Drum (square)  | 77 / 291                          | 2400 / 1089                    | 1200 x 1200 x 332  |



Green Oil Products

enquiry : (852) 2690 3509/sales@mainpowerhyd.com