



SURFACE STRIPPING



230MM FLOOR STRIPPER**TFS230****THE MOST ROBUST FLOOR STRIPPER
IN IT'S CLASS.**

The TFS230 is the latest addition to the surface stripping range, developed to suit various applications and withstand rough site use.

It's features ensure high performance stripping, easy operation and transportation. The operator's comfort and safety is at the heart of the design.

FEATURES & BENEFITS

- Kinetic slide mechanism for a rapid and precise movement for high performance stripping
- Robust construction with sealed under carriage
- Height adjustable handle
- 4 position foot pedal
- 2 easy access greasing points for on site maintenance
- Front support wheels for easy operation and transportation

APPLICATIONS





- Removal of floor coverings
- Removal of linoleum, carpet vinyl and other floor coverings

**LINOLEUM TILES REMOVAL****REMOVING TILES****CARPET REMOVAL**

230MM FLOOR STRIPPER

TFS230

KEY CONSUMABLES & ACCESSORIES

Image	Part Number	Description
	323.3509A	Replacement blade - Single Working width 230mm
	323.3509	Replacement blade - Pack of 5 Working width 230mm
	669.3125	110v Power Cable 15 metres
	669.3150	230v Power Cable 30 metres

TECHNICAL DATA

Model	Part No.	Width (mm)	Working width (mm)	Length (mm)	Height (mm)	Weight (kg)	Power (W)	Voltage (A)	Motor RPM (rpm)
TFS230 110V	323.2002	335	230	875	705	54	1500	16	1400
TFS 230 230V	323.2004	335	230	875	705	54	1500	13	1400

PNEUMATIC LONG REACH STRIPPER

LR


ONE TOOL, MULTIPLE APPLICATIONS

The Trelawny Long reach scraper range are versatile tools for chipping and scraping tiles, adhesives, screed and vinyl along with many other cleaning and industrial applications.

Available in a range of lengths from 2ft up to 6ft, Long reach tools eliminate the need for manual labour, they are quite literally a back saver!

The aluminium "Lite" version is perfect for jobs that require working overhead or accessing hard to reach areas such as tank cleaning.

Available with a wide selection of chisels and blades, they are perfect for renovation, flooring contractors, roofing, demolition and asbestos abatement.



Non spark options available

FEATURES & BENEFITS

- Quick change chisel release
- Unique 'LITE' range: light weight models
- Available in 2ft, 4ft, 5ft and 6ft lengths
- Three tools in one: chipping, scraping, de-scaling
- Requires only 4.5 CFM of air: extremely cost effective needing only a small portable compressor
- Perfect tool for equipment hire companies

APPLICATIONS

- Tiles removal
- Removal of ice, residues and other adhesives
- Removal of carpet, lino
- Chemical spillage removal
- Bituminous products removal



CERAMIC TILE REMOVAL



PLASTER REMOVAL






SHIP DECK RUST REMOVAL

PNEUMATIC LONG REACH STRIPPER

LR

KEY CONSUMABLES & ACCESSORIES

Image	Part Number	Description
	705.1100	229mm long chisel with 50mm wide blade Spark resistant aluminium bronze for use in hazardous areas
	705.1101	229mm long chisel with 25mm wide blade Flat chisel for sand cast chipping
	705.1102	203mm long chisel with 100mm wide blade General chipping applications, asphalt cutter, paint removal
	705.1106	229mm long chisel with 50mm wide blade Removal of linoleum from floor base
	705.1112	203mm long chisel with 100mm wide blade Spark resistant aluminium bronze for use in hazardous areas
	706.2102	203mm long chisel with 100mm wide blade Floor tile removal
	708.1100	203mm long chisel with comb insert For use with comb insert
	708.1101	25mm long chisel with 38mm comb insert Brick cleaning and reclamation

Image	Part Number	Description
	431.3504	102mm wide flat edge scraper blade assembly
	436.3504	102mm wide flat edge scraper blade pack of 5 Removal of adhesives and paint
	431.3508	203mm wide flat edge scraper blade assembly
	439.3508	203mm wide flat edge scraper blade pack of 5 Removal of paint and coating spillage
	431.3512	305mm wide flat edge scraper blade assembly
	439.3512	305mm wide flat edge scraper blade pack of 4 Removal of carpet and tiles
	431.3904	102mm wide bevelled scraper blade assembly
	439.3524	102mm wide bevelled scraper blade pack of 5 Removal of stubborn adhesive
	431.3908	203mm wide bevelled scraper blade assembly
	439.3528	203mm wide bevelled scraper blade pack of 5 Removal of carpet and tiles
	431.3912	305mm wide bevelled scraper blade assembly
	439.3522	305mm wide bevelled scraper blade pack of 4 Removal of stubborn adhesive
	641.3512	Blade holder
	806.0816	Button head screw
	824.0800	Nylon insert nut
	458.1530	¼ BSP Inline Lubricator Assembly Consists of whip hose, whip check and ¼ lubricator

TECHNICAL DATA

Model	Part No.	Type	Weight (kg)	Length (mm)	Blows Per Minute (BPM)	Air Consumption (lps - cfm)	Noise Level (LwA db(A))	Vibration Level (Aeq m/s ²)
2ft Chisel	136.3200	Standard	4.6	740	2200	2.1 - 4.5	84	15.3
4ft Chisel	136.3400	Standard	6.2	1100	2200	2.1 - 4.5	84	12.2
5ft Chisel	136.3500	Standard	5.9	1400	2200	2.1 - 4.5	86	12.3
6ft Chisel	136.3600	Standard	6.1	1710	2200	2.1 - 4.5	116	12.5
4ft LITE Chisel	136.3498	LITE	3.0	1100	2200	2.1 - 4.5	89	25.1
5ft LITE Chisel	136.3598	LITE	3.4	1400	2200	2.1 - 4.5	89	19.3
6ft LITE Chisel	136.3698	LITE	3.8	1710	2200	2.1 - 4.5	116	18.8



SURFACE STRIPPING - FURTHER INFORMATION

HOW THEY WORK

The Trelawny surface strippers use a oscillating blade mechanism to effortlessly remove a wide range of materials from concrete, steel and wooden surfaces.

The high RPM of the oscillating blade makes cutting through stubborn material effortless, and eliminates the traditional method of "hammer and chisel" material removal.

Available in both electric and pneumatic options with an array of attachments make these very versatile machines.



APPLICATIONS

Floor Strippers and Long Reach Strippers are used for;

- Carpet & vinyl removal.
- Adhesive & rubberised coating removal.
- Roofing & bituminous material removal.
- Chipping, lifting, cleaning and cutting.
- De-scaling steel.
- Cleaning and preparing masonry, brick & concrete.
- Paint and coating removal.



ATTACHMENT OPTIONS

A complete range of attachments are available for the pneumatic long reach scalers that Trelawny offer.

Attachments include:


Spark resistant aluminium bronze chisels for use in hazardous areas.

Various width chisels to suit specific applications.

Various width scrapers to suit specific applications.

Needle Scaler attachment to convert the Long Reach into a needle scaler in seconds.

Comb inserts for brick cleaning and reclamation.



HINTS & TIPS

Electric Floor Stripper

Adjusting the blade pitch allows the operator to position the of the blade from a shallow angle to a steeper more aggressive cut.

Use the additional weights on tough to remove materials.

Pneumatic Long Reach Strippers

Use the "Long reach Lite" option when working at heights to increase operator comfort.

Allow the tool to do the work, putting excess pressure on the head will not allow the heads to reach there full extension potentially stalling the tool and reducing performance.

